

Sample Name: **Suver Haze**  
Tested for: **Anatoli Kutsev**  
**R&D Testing**

Report cannot be used for OHA/OLCC compliance.

Laboratory ID: 19I0243-02

Matrix: Plant Tissue

Sample Metrc ID: NA

Lot # NA

Batch RFID: NA

Batch Size: NA

License: AG-R1058877IHG

Date Sampled: 09/27/19 00:00

Date Accepted: 09/27/19




### Potency Analysis

Date Extracted: 10/03/19

Analysis Method/SOP: Potency

Date Analyzed: 10/04/19

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile														
<b>Total THC</b> ((THCA*0.877)+d9)	0.56	5.6	0.04	 <table border="1"> <tr><td>THCA</td><td>0.64</td></tr> <tr><td>CBD</td><td>0.19</td></tr> <tr><td>CBDA</td><td>17.27</td></tr> <tr><td>CBG</td><td>0.05</td></tr> <tr><td>CBGA</td><td>0.32</td></tr> <tr><td>CBDVA</td><td>0.12</td></tr> <tr><td>Total:</td><td>18.59</td></tr> </table>	THCA	0.64	CBD	0.19	CBDA	17.27	CBG	0.05	CBGA	0.32	CBDVA	0.12	Total:	18.59
THCA	0.64																	
CBD	0.19																	
CBDA	17.27																	
CBG	0.05																	
CBGA	0.32																	
CBDVA	0.12																	
Total:	18.59																	
<b>Total CBD</b> ((CBDA*0.877)+CBD)	15.34	153.4	0.04															
d9-THC (d9-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.05															
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.05															
THCA (d9-Tetrahydrocannabinolic Acid)*	0.64	6.4	0.07															
CBD (Cannabidiol)*	0.19	1.9	0.04															
CBDA (Cannabidiolic Acid)*	17.27	172.7	0.07															
CBN (Cannabinol)*	< LOQ	< LOQ	0.04															
CBG (Cannabigerol)*	0.05	0.5	0.05															
CBGA (Cannabigerolic Acid)	0.32	3.2	0.05															
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.05															
CBDVA (Cannabidivarinic Acid)	0.12	1.2	0.05															
CBC (Cannabichromene)*	< LOQ	< LOQ	0.05															
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.05															
<b>Total Cannabinoids</b>	18.59	185.9	0.04															

### Water Activity and Moisture

Analyte	Result	Limit	Units	LOQ	Analyzed	Method
Percent Moisture	19.9	15	%	0.10	10/03/2019	Moisture

Cannabinoids reported as dry weight (moisture corrected) Results above the action level are highlighted in red #.

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Suver Haze** License: **AG-R105887IHG**  
 Tested for: **Anatoli Kutsev** Date Sampled: **09/27/19 00:00**  
**R&D Testing** Date Accepted: **09/27/19**  
 Report cannot be used for OHA/OLCC compliance.  
 Laboratory ID: **19I0243-02** Sample Metrc ID: **NA**  
 Matrix: **Plant Tissue** Batch RFID: **NA**  
 Lot # **NA** Batch Size: **NA**

**Pesticide Analysis in ppm**

Date Extracted: 10/03/19 Analysis Method/SOP: Pesticides  
 Date Analyzed: 10/04/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.24	Acephate	< LOQ	0.4	0.02
Acequinocyl	< LOQ	2	0.02	Acetamiprid	< LOQ	0.2	0.02
Aldicarb	< LOQ	0.4	0.02	Azoxystrobin	< LOQ	0.2	0.02
Bifenazate	< LOQ	0.2	0.02	Bifenthrin	< LOQ	0.2	0.02
Boscalid	< LOQ	0.4	0.02	Carbaryl	< LOQ	0.2	0.02
Carbofuran	< LOQ	0.2	0.02	Chlorantranilprole	< LOQ	0.2	0.01
Chlorfenapyr	< LOQ	1	0.48	Chlorpyrifos	0.05	0.2	0.02
Clofentezine	< LOQ	0.2	0.02	Cyfluthrin	< LOQ	1	0.24
Cypermethrin	< LOQ	1	0.04	Daminozide	< LOQ	1	0.10
DDVP (Dichlorvos)	< LOQ	1	0.02	Diazinon	< LOQ	0.2	0.02
Dimethoate	< LOQ	0.2	0.02	Ethoprophos	< LOQ	0.2	0.02
Etofenprox	< LOQ	0.4	0.02	Etoxazole	< LOQ	0.2	0.02
Fenoxycarb	< LOQ	0.2	0.02	Fenpyroximate	< LOQ	0.4	0.02
Fipronil	< LOQ	0.4	0.05	Fonicamid	< LOQ	1	0.02
Fludioxonil	< LOQ	0.4	0.10	Hexythiazox	< LOQ	1	0.02
Imazalil	< LOQ	0.2	0.02	Imidacloprid	< LOQ	0.4	0.02
Kresoxim-methyl	< LOQ	0.4	0.02	Malathion	< LOQ	0.2	0.02
Metalaxyl	< LOQ	0.2	0.02	Methiocarb	< LOQ	0.2	0.02
Methomyl	< LOQ	0.4	0.02	Methyl parathion	< LOQ	0.2	0.10
MGK-264	< LOQ	0.2	0.01	Myclobutanil	< LOQ	0.2	0.02
Naled	< LOQ	0.5	0.05	Oxamyl	< LOQ	1	0.02
Paclobutrazol	< LOQ	0.4	0.02	Permethrins (total)	< LOQ	0.2	0.10
Phosmet	< LOQ	0.2	0.02	Piperonyl butoxide	< LOQ	2	0.02
Prallethrin	< LOQ	0.2	0.05	Propiconazole	< LOQ	0.4	0.05
Propoxur	< LOQ	0.2	0.02	Pyrethrins (total)	< LOQ	1	0.48
Pyridaben	< LOQ	0.2	0.02	Spinosad	< LOQ	0.2	0.02
Spiromesifen	< LOQ	0.2	0.02	Spirotetramat	< LOQ	0.2	0.05
Spiroxamine	< LOQ	0.4	0.01	Tebuconazole	< LOQ	0.4	0.02
Thiacloprid	< LOQ	0.2	0.02	Thiamethoxam	< LOQ	0.2	0.02
Trifloxystrobin	< LOQ	0.2	0.02				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

**Case Narrative**

**Pesticides** - Imidachloprid recovered above the upper acceptance limit in the Blank Spike, Matrix Spike, and Matrix Spike Duplicate. Imidachloprid, Chlorfenapyr, Acephate, Permethrins, and Thiamethoxam recovered above the upper acceptance limit in the Matrix Spike and Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples.

Spinosad and Imidachloprid result was above QC criteria in the Method Blank. Analyte was below the action limit in all client samples.

**Quality Control  
Potency**

**Batch: B191792 - Potency/Terpenes**

Blank(B191792-BLK1)		Extracted - 10/03/19 14:55 Analyzed - 10/03/19 21:40						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B191792-DUP1)		Extracted - 10/03/19 14:55 Analyzed - 10/03/19 21:49						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	4.35	%		4.53			3.92	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	18.26	%		18.96			3.75	20
CBD (Cannabidiol)	< LOQ	%		< LOQ				20
CBDA (Cannabidiolic Acid)	0.07	%		0.07			8.98	20
CBN (Cannabinol)	< LOQ	%		< LOQ				20
CBG (Cannabigerol)	0.09	%		0.08			8.57	20
CBGA (Cannabigerolic Acid)	0.71	%		0.76			6.56	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Potency (Continued)

**Batch: B191792 - Potency/Terpenes (Continued)**

Duplicate(B191792-DUP1)			Extracted - 10/03/19 14:55 Analyzed - 10/03/19 21:49					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

CBC (Cannabichromene)	0.18	%		0.19			4.86	20
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20

LCS(B191792-BS1)			Extracted - 10/03/19 14:55 Analyzed - 10/03/19 21:32					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

d9-THC (d9-Tetrahydrocannabinol)	0.04	%	0.0400		110	80-120		
CBD (Cannabidiol)	0.04	%	0.0400		105	80-120		
CBN (Cannabinol)	0.04	%	0.0400		93.0	80-120		
CBGA (Cannabigerolic Acid)	0.04	%	0.0400		99.0	80-120		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis

**Batch: B191797 - Pesticide Prep**

Blank(B191797-BLK1)		Extracted - 10/02/19 11:40 Analyzed - 10/04/19 6:49						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	0.02	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B191797 - Pesticide Prep (Continued)**

Blank(B191797-BLK1)			Extracted - 10/02/19 11:40 Analyzed - 10/04/19 6:49					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	0.26	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B191797-BS1)			Extracted - 10/02/19 11:40 Analyzed - 10/04/19 7:05					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	0.83	ppm	0.980		85.2	29-150		
Acephate	1.18	ppm	1.00		118	48-133		
Acequinocyl	0.75	ppm	1.00		75.4	48-150		
Acetamiprid	1.02	ppm	1.00		102	45-150		
Aldicarb	1.02	ppm	1.00		102	58-134		
Azoxystrobin	0.94	ppm	1.00		93.9	25-150		
Bifenazate	0.75	ppm	1.00		75.5	46-141		
Bifenthrin	1.13	ppm	1.00		113	55-150		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B191797 - Pesticide Prep (Continued)**

LCS(B191797-BS1)		Extracted - 10/02/19 11:40 Analyzed - 10/04/19 7:05						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	0.95	ppm	1.00		95.4	34-141		
Carbaryl	1.02	ppm	1.00		102	67-125		
Carbofuran	1.03	ppm	1.00		103	71-128		
Chlorantraniliprole	0.58	ppm	1.00		57.7	43-138		
Chlorfenapyr	1.14	ppm	1.00		114	45-150		
Chlorpyrifos	0.99	ppm	1.00		99.1	36-150		
Clofentezine	0.98	ppm	1.00		97.8	59-135		
Cyfluthrin	1.14	ppm	1.00		114	33-150		
Cypermethrin	0.98	ppm	1.00		97.5	47-148		
Daminozide	0.79	ppm	1.00		78.9	18-116		
DDVP (Dichlorvos)	1.33	ppm	1.00		133	65-150		
Diazinon	1.03	ppm	1.00		103	60-130		
Dimethoate	1.05	ppm	1.00		105	65-131		
Ethoprophos	0.87	ppm	1.00		86.7	52-150		
Etofenprox	0.92	ppm	1.00		91.8	60-139		
Etoxazole	0.77	ppm	1.00		77.1	59-122		
Fenoxycarb	0.97	ppm	1.00		97.3	39-146		
Fenpyroximate	0.97	ppm	1.00		96.7	44-147		
Fipronil	1.01	ppm	1.00		101	40-143		
Flonicamid	1.20	ppm	1.00		120	50-142		
Fludioxonil	0.91	ppm	1.00		91.2	49-150		
Hexythiazox	0.90	ppm	1.00		90.3	41-142		
Imazalil	0.90	ppm	1.00		89.9	61-127		
Imidacloprid	1.67	ppm	1.00		167	36-150		
Kresoxim-methyl	1.05	ppm	1.00		105	53-131		
Malathion	0.98	ppm	1.00		98.5	55-134		
Metalaxyl	0.83	ppm	1.00		82.7	64-127		
Methiocarb	0.94	ppm	1.00		93.8	53-144		
Methomyl	1.11	ppm	1.00		111	47-141		
Methyl parathion	1.11	ppm	1.00		111	48-142		
MGK-264	0.55	ppm	0.630		87.6	38-150		
Myclobutanil	0.85	ppm	1.00		85.1	45-146		
Naled	0.56	ppm	1.00		56.4	28-113		
Oxamyl	1.06	ppm	1.00		106	48-133		
Paclobutrazol	0.87	ppm	1.00		86.8	37-150		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B191797 - Pesticide Prep (Continued)**

LCS(B191797-BS1)		Extracted - 10/02/19 11:40 Analyzed - 10/04/19 7:05						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.24	ppm	1.00		124	46-150		
Phosmet	0.99	ppm	1.00		99.3	48-137		
Piperonyl butoxide	0.91	ppm	1.00		91.2	43-142		
Prallethrin	0.99	ppm	1.00		98.8	48-144		
Propiconazole	1.06	ppm	1.00		106	52-136		
Propoxur	1.03	ppm	1.00		103	61-131		
Pyrethrins (total)	0.52	ppm	0.630		83.2	24-150		
Pyridaben	0.84	ppm	1.00		84.1	40-150		
Spinosad	1.20	ppm	0.820		147	42-148		
Spiromesifen	0.81	ppm	1.00		80.9	38-150		
Spirotetramat	0.94	ppm	1.00		93.8	37-132		
Spiroxamine	0.82	ppm	1.00		82.0	49-136		
Tebuconazole	1.11	ppm	1.00		111	46-142		
Thiacloprid	0.87	ppm	1.00		86.7	48-150		
Thiamethoxam	1.32	ppm	1.00		132	46-138		
Trifloxystrobin	1.07	ppm	1.00		107	44-144		

Matrix Spike(B191797-MS1)		Extracted - 10/02/19 11:40 Analyzed - 10/04/19 7:21						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	0.89	ppm	0.945	< LOQ	94.3	15-150		
Acephate	1.17	ppm	0.965	< LOQ	122	45-130		
Acequinocyl	0.73	ppm	0.965	< LOQ	75.9	31-146		
Acetamiprid	0.88	ppm	0.965	< LOQ	91.7	39-150		
Aldicarb	0.96	ppm	0.965	< LOQ	99.4	47-143		
Azoxystrobin	0.92	ppm	0.965	< LOQ	95.3	21-150		
Bifenazate	0.93	ppm	0.965	< LOQ	96.6	31-150		
Bifenthrin	0.92	ppm	0.965	< LOQ	95.6	23-132		
Boscalid	1.11	ppm	0.965	< LOQ	115	41-141		
Carbaryl	0.94	ppm	0.965	< LOQ	97.9	60-125		
Carbofuran	0.98	ppm	0.965	< LOQ	101	57-136		
Chlorantraniliprole	0.61	ppm	0.965	< LOQ	63.7	32-145		
Chlorfenapyr	1.57	ppm	0.965	< LOQ	163	29-150		
Chlorpyrifos	0.92	ppm	0.965	< LOQ	95.1	29-146		
Clofentezine	0.83	ppm	0.965	< LOQ	86.0	48-128		
Cyfluthrin	1.07	ppm	0.965	< LOQ	111	16-150		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



## Quality Control Pesticide Analysis (Continued)

Batch: B191797 - Pesticide Prep (Continued)

Matrix Spike(B191797-MS1)			Extracted - 10/02/19 11:40 Analyzed - 10/04/19 7:21					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	0.99	ppm	0.965	< LOQ	102	22-150		
Daminozide	0.85	ppm	0.965	< LOQ	88.2	34-150		
DDVP (Dichlorvos)	1.13	ppm	0.965	< LOQ	117	55-133		
Diazinon	0.91	ppm	0.965	< LOQ	94.0	54-126		
Dimethoate	0.86	ppm	0.965	< LOQ	89.4	60-129		
Ethoprophos	0.82	ppm	0.965	< LOQ	84.9	40-150		
Etofenprox	0.84	ppm	0.965	< LOQ	87.4	25-135		
Etoxazole	0.78	ppm	0.965	< LOQ	80.4	26-149		
Fenoxycarb	0.96	ppm	0.965	< LOQ	99.5	37-145		
Fenpyroximate	1.06	ppm	0.965	< LOQ	110	27-150		
Fipronil	0.94	ppm	0.965	< LOQ	97.0	27-150		
Flonicamid	1.14	ppm	0.965	< LOQ	118	46-139		
Fludioxonil	0.96	ppm	0.965	< LOQ	99.9	31-150		
Hexythiazox	0.90	ppm	0.965	< LOQ	93.6	32-150		
Imazalil	0.83	ppm	0.965	< LOQ	85.6	44-142		
Imidacloprid	1.66	ppm	0.965	< LOQ	172	23-150		
Kresoxim-methyl	0.91	ppm	0.965	< LOQ	94.1	49-130		
Malathion	1.00	ppm	0.965	< LOQ	103	25-150		
Metalaxyl	0.69	ppm	0.965	< LOQ	71.2	49-141		
Methiocarb	0.85	ppm	0.965	< LOQ	87.6	44-146		
Methomyl	0.95	ppm	0.965	< LOQ	98.0	44-136		
Methyl parathion	0.91	ppm	0.965	< LOQ	94.6	15-150		
MGK-264	0.49	ppm	0.608	< LOQ	80.7	22-150		
Myclobutanil	0.87	ppm	0.965	< LOQ	90.4	34-150		
Naled	0.70	ppm	0.965	< LOQ	72.7	38-142		
Oxamyl	0.99	ppm	0.965	< LOQ	103	40-132		
Paclobutrazol	0.81	ppm	0.965	< LOQ	84.3	29-147		
Permethrins (total)	0.96	ppm	0.965	< LOQ	99.9	27-104		
Phosmet	1.02	ppm	0.965	< LOQ	106	35-150		
Piperonyl butoxide	0.68	ppm	0.965	< LOQ	70.2	34-143		
Prallethrin	0.91	ppm	0.965	< LOQ	94.7	33-150		
Propiconazole	0.89	ppm	0.965	< LOQ	92.8	46-138		
Propoxur	1.02	ppm	0.965	< LOQ	105	50-138		
Pyrethrins (total)	0.55	ppm	0.608	< LOQ	90.6	21-150		
Pyridaben	0.46	ppm	0.965	< LOQ	47.4	39-150		



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B191797 - Pesticide Prep (Continued)**

Matrix Spike(B191797-MS1)			Extracted - 10/02/19 11:40 Analyzed - 10/04/19 7:21					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	0.81	ppm	0.791	< LOQ	103	31-150		
Spiromesifen	0.72	ppm	0.965	< LOQ	74.3	27-141		
Spirotetramat	1.00	ppm	0.965	< LOQ	104	31-141		
Spiroxamine	0.80	ppm	0.965	< LOQ	82.9	57-139		
Tebuconazole	0.98	ppm	0.965	< LOQ	102	32-140		
Thiacloprid	0.85	ppm	0.965	< LOQ	88.2	45-150		
Thiamethoxam	1.35	ppm	0.965	< LOQ	139	40-141		
Trifloxystrobin	0.93	ppm	0.965	< LOQ	96.7	30-137		

Matrix Spike Dup(B191797-MSD1)			Extracted - 10/02/19 11:40 Analyzed - 10/04/19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.11	ppm	0.960	< LOQ	115	15-150	20.1	40
Acephate	1.28	ppm	0.980	< LOQ	131	45-130	7.64	26
Acequinocyl	0.84	ppm	0.980	< LOQ	86.2	31-146	12.7	50
Acetamiprid	0.99	ppm	0.980	< LOQ	101	39-150	10.1	21
Aldicarb	1.05	ppm	0.980	< LOQ	107	47-143	7.62	30
Azoxystrobin	1.00	ppm	0.980	< LOQ	102	21-150	6.68	21
Bifenazate	1.00	ppm	0.980	< LOQ	102	31-150	5.09	20
Bifenthrin	1.00	ppm	0.980	< LOQ	102	23-132	6.90	30
Boscalid	1.18	ppm	0.980	< LOQ	121	41-141	4.98	20
Carbaryl	1.01	ppm	0.980	< LOQ	104	60-125	5.67	20
Carbofuran	1.07	ppm	0.980	< LOQ	109	57-136	7.25	24
Chlorantraniliprole	0.68	ppm	0.980	< LOQ	69.4	32-145	8.51	20
Chlorfenapyr	1.32	ppm	0.980	< LOQ	135	29-150	18.6	50
Chlorpyrifos	1.02	ppm	0.980	< LOQ	104	29-146	9.02	24
Clofentezine	0.97	ppm	0.980	< LOQ	99.0	48-128	14.0	20
Cyfluthrin	1.16	ppm	0.980	< LOQ	118	16-150	6.59	50
Cypermethrin	1.06	ppm	0.980	< LOQ	108	22-150	5.39	30
Daminozide	0.86	ppm	0.980	< LOQ	87.7	34-150	0.503	30
DDVP (Dichlorvos)	1.25	ppm	0.980	< LOQ	128	55-133	9.21	30
Diazinon	1.03	ppm	0.980	< LOQ	105	54-126	11.2	20
Dimethoate	0.96	ppm	0.980	< LOQ	98.3	60-129	9.44	20
Ethoprophos	0.90	ppm	0.980	< LOQ	91.8	40-150	7.79	29
Etofenprox	0.94	ppm	0.980	< LOQ	96.1	25-135	9.49	24
Etoxazole	0.84	ppm	0.980	< LOQ	85.9	26-149	6.67	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B191797 - Pesticide Prep (Continued)**

Matrix Spike Dup(B191797-MSD1)			Extracted - 10/02/19 11:40 Analyzed - 10/04/19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.03	ppm	0.980	< LOQ	105	37-145	5.63	23
Fenpyroximate	1.20	ppm	0.980	< LOQ	123	27-150	10.9	20
Fipronil	1.01	ppm	0.980	< LOQ	103	27-150	6.21	28
Flonicamid	1.30	ppm	0.980	< LOQ	132	46-139	11.3	29
Fludioxonil	1.00	ppm	0.980	< LOQ	102	31-150	2.37	30
Hexythiazox	0.98	ppm	0.980	< LOQ	99.8	32-150	6.35	28
Imazalil	0.88	ppm	0.980	< LOQ	89.8	44-142	4.77	25
Imidacloprid	1.86	ppm	0.980	< LOQ	190	23-150	9.76	30
Kresoxim-methyl	1.07	ppm	0.980	< LOQ	109	49-130	15.1	20
Malathion	1.07	ppm	0.980	< LOQ	109	25-150	5.23	21
Metalaxyl	0.77	ppm	0.980	< LOQ	78.4	49-141	9.58	20
Methiocarb	0.93	ppm	0.980	< LOQ	94.8	44-146	7.80	20
Methomyl	1.12	ppm	0.980	< LOQ	114	44-136	15.1	30
Methyl parathion	1.07	ppm	0.980	< LOQ	109	15-150	14.0	50
MGK-264	0.52	ppm	0.617	< LOQ	84.3	22-150	4.33	24
Myclobutanil	0.94	ppm	0.980	< LOQ	95.8	34-150	5.83	23
Naled	0.78	ppm	0.980	< LOQ	79.4	38-142	8.80	25
Oxamyl	1.10	ppm	0.980	< LOQ	112	40-132	8.71	30
Paclobutrazol	0.89	ppm	0.980	< LOQ	90.4	29-147	6.95	20
Permethrins (total)	1.07	ppm	0.980	< LOQ	109	27-104	8.66	30
Phosmet	1.05	ppm	0.980	< LOQ	107	35-150	1.04	20
Piperonyl butoxide	0.75	ppm	0.980	< LOQ	76.1	34-143	8.01	21
Prallethrin	0.97	ppm	0.980	< LOQ	99.0	33-150	4.49	25
Propiconazole	1.05	ppm	0.980	< LOQ	107	46-138	14.6	20
Propoxur	1.11	ppm	0.980	< LOQ	113	50-138	7.51	28
Pyrethrins (total)	0.60	ppm	0.617	< LOQ	97.9	21-150	7.76	28
Pyridaben	0.51	ppm	0.980	< LOQ	52.4	39-150	10.1	23
Spinosad	0.94	ppm	0.803	< LOQ	117	31-150	12.9	30
Spiromesifen	0.78	ppm	0.980	< LOQ	80.1	27-141	7.52	30
Spirotetramat	1.10	ppm	0.980	< LOQ	112	31-141	7.40	25
Spiroxamine	0.86	ppm	0.980	< LOQ	87.6	57-139	5.59	20
Tebuconazole	1.15	ppm	0.980	< LOQ	117	32-140	14.2	20
Thiacloprid	0.94	ppm	0.980	< LOQ	96.0	45-150	8.45	21
Thiamethoxam	1.50	ppm	0.980	< LOQ	153	40-141	9.28	30
Trifloxystrobin	1.05	ppm	0.980	< LOQ	108	30-137	10.7	29



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Moisture Content

**Batch: B191795 - Gravimetric**

Duplicate(B191795-DUP1)			Extracted - 10/03/19 10:15		Analyzed - 10/03/19 10:15			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Percent Moisture	11.4	%		11.4			0.521	20



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

SC Laboratories Oregon LLC  
 15865 SW 74th Avenue, Ste 110  
 Tigard OR, 97224  
 (503) 272-8830  
 ORELAP ID # 4133  
 www.sclabs.com

# CHAIN OF CUSTODY FORM

Work Order #: 1910243  
 COC #: 1 of BRL  
 Received By: BRL  
 Date: 9/27/19  
 Courier: Ray O'NA  
 Name of Sampler: Ray O'NA  
 Transfer Manifest #:   
 Place where Sampled:   
 Sampler OLCC License #:   
 OLCC License #:   
 OLCC License Type:   
 Phone:   
 Email:   
 Client: Tony Kutsav  
 Address: 1845 S. Boones Ferry Rd  
 Medford, OR 97501  
 Date Sampled: 9-27-19



Sample Type Legend  
 U - Usable Marijuana  
 C - Concentrate  
 P - Product  
 O - Other

Sample Name	Time	METRC Label	Unique Batch Number	SC Labs LIMS ID	Sample Type	Total Sample Mass	TESTS REQUESTED						Sample Specific Notes
							# of Increments	Potency	Water Activity	Moisture Content	Pesticide	Residual Solvent	
Hi-Titer		NA	NA	191024301 PT			✓	✓	✓	✓	✓	✓	R+D
Sever Haze		↓	↓	-02			✓	✓	✓	✓	✓	✓	↓
Sever Haze Biomass		↓	↓	-03			✓	✓	✓	✓	✓	✓	↓
Hi-Titer - Picked 9-27		↓	↓	-04			✓	✓	✓	✓	✓	✓	↓
Sever Haze Picked 9-27		↓	↓	-05			✓	✓	✓	✓	✓	✓	↓

Notes/Special Considerations: Opt OUT of Sample Duplicate: Yes  No

50% volume Discount - BRL 9/27/19

Samples Relinquished	Samples Received
Print Name: Tony Kutsav Date: 9/27/19 Representative of: SC Labs Signature: [Signature] Time: 3:00p	Print Name: _____ Date: _____ Representative of: _____ Signature: _____ Time: _____